

OAKVILLE STONE



As perfect as natural can be™

WHO WE ARE



Oakville Stone prides itself on providing the highest quality natural stone products the earth has to offer. It is our continuous goal to provide a level of service that is unmatched in the natural stone industry. Our commitment to quality, service, and sustainability has helped us become North America's most highly regarded producer and supplier of imported landscape stone.

Our global supply chain is built on exclusive overseas partnerships, a large staff of our own company inspectors, and a solid transportation framework which enables us to not only provide all the products you see in our catalog, but any natural stone product you may find in the market.

With a vast and growing dealer base, as well as multiple distribution centers, Oakville Stone products are available for immediate delivery for any size project throughout North America.



CONTENTS



PRODUCTS

8 Oakville Antique Limestone

12 Oakville Autumn Brown

16 Oakville Black Limestone

20 Oakville Blue Ice

24 Oakville Brown Wave

28 Oakville Buff

32 Oakville Hampton Limestone

36 Oakville Highland Black 

38 Oakville Imperial Black

42 Oakville Ivory Coast

46 Oakville Rainbow

50 Oakville Rustic Plains

54 Oakville Sagebrush

58 Oakville Siberian Grey 

62 Oakville Silver Pearl 

64 Oakville Slate Grey

68 Oakville Thermal Bluestone

APPLICATIONS

74 Paving

75 Pattern Crates

76 Handcut Paving

77 Edge Pavers

78 Rockface Treads

79 Rebated Treads

80 Bullnose Coping

81 Straight Edge Coping

82 Steps

83 Fillers

84 Pier Caps

85 Wall Caps

86 BBQ Slabs

87 Slabs



INSTALLATION

90 Steps and Fillers Installation

92 Dry Lay Installation

93 Wet Lay Installation

94 Considerations When Using Natural Stone

OUR STONE

As perfect as natural can be™

Please visit www.oakvillestone.com to view various installation photos of our products.

Oakville Antique Limestone

CLASSIFICATION

LIMESTONE

FINISH

ACID WASH

ORIGIN

CHINA



Oakville Antique Limestone



BBQ Slabs ❤️

Size (in)	Toronto
36x96x2	🇨🇦
48x96x2	🇨🇦



Bullnose Coping

Size (in)	Toronto
12x48x2	🇨🇦



Edge Pavers ❤️

Size (cm)	Toronto
30x60x2.5	🇨🇦



Fillers ❤️

Size (in)	Toronto
6x31x7	🇨🇦



Pier Caps ❤️

Size (in)	Toronto
24x24x3	🇨🇦
28x28x3	🇨🇦



Wall Caps ❤️

Size (in)	Toronto
14x48x2	🇨🇦



Paving

Size (cm)	Toronto
30x30x2.5	🇨🇦
30x60x2.5	🇨🇦
45x60x2.5	🇨🇦
60x60x2.5	🇨🇦
60x90x2.5	🇨🇦
Pattern 1	🇨🇦



Rockface Treads

Size (in)	Toronto
12x48x2	🇨🇦
12x72x2	🇨🇦
14x48x2	🇨🇦
14x72x2	🇨🇦
16x48x2	🇨🇦
16x72x2	🇨🇦



Steps

Size (in)	Toronto
16x48x7	🇨🇦
16x60x7	🇨🇦
16x72x7	🇨🇦
16x96x7	🇨🇦



Straight Edge Coping

Size (in)	Toronto
12x48x2	🇨🇦



Rebated Treads

Size (in)	Toronto
12x48x2	🇨🇦

Oakville Autumn Brown

CLASSIFICATION

QUARTZITIC SANDSTONE

FINISH

NATURAL CLEFT

ORIGIN

INDIA



Oakville Autumn Brown



BBQ Slabs

Size (in)	New Jersey
36x96x2	



Bullnose Coping

Size (in)	Toronto	New Jersey
12x48x2		
14x72x2		



Edge Pavers

Size (cm)	Toronto
30x60x2.5	



Fillers

Size (in)	Toronto
6x31x7	



Paving

Size (cm)	Toronto	New Jersey
30x30x2.5		
30x60x2.5		
45x60x2.5		
60x60x2.5		
60x90x2.5		
Pattern 1		
Pattern 2		



Rockface Treads

Size (in)	Toronto	New Jersey
12x48x2		
12x72x2		
12x96x2		
14x72x2		
16x48x2		
16x72x2		
18x72x2		
24x72x2		



Steps

Size (in)	Toronto	New Jersey
16x48x7		
16x60x7		
16x72x7		
16x96x7		



Pier Caps

Size (in)	Toronto	New Jersey
24x24x3		
28x28x3		



Wall Caps

Size (in)	Toronto	New Jersey
14x48x2		

Oakville Black Limestone

CLASSIFICATION

LIMESTONE

FINISH

NATURAL CLEFT

ORIGIN

INDIA



Oakville Black Limestone



BBQ Slabs

Size (in)	Toronto
36x72x2	



Bullnose Coping

Size (in)	Toronto	New Jersey
12x48x2		



Edge Pavers

Size (cm)	Toronto
30x60x2.5	



Fillers

Size (in)	Toronto
6x31x6	



Pier Caps

Size (in)	Toronto	New Jersey
24x24x3		
28x28x3		



Wall Caps

Size (in)	Toronto
12x48x2	
14x48x2	



Paving

Size (cm)	Toronto	New Jersey
30x30x2.5		
30x60x2.5		
45x60x2.5		
60x60x2.5		
60x90x2.5		
Pattern 1		



Rockface Treads

Size (in)	Toronto	New Jersey
12x48x2		
12x60x2		
12x72x2		
14x48x2		
14x72x2		
16x48x2		
16x72x2		



Steps

Size (in)	Toronto
16x48x6	
16x60x6	
16x72x6	
16x96x6	



Rebated Treads

Size (in)	Toronto
12x48x2	

Oakville Blue Ice

CLASSIFICATION

QUARTZITIC SANDSTONE

FINISH

NATURAL CLEFT

ORIGIN

INDIA



Oakville Blue Ice



BBQ Slabs

Size (in)	Toronto	New Jersey	Savannah
36x96x2	🇨🇦	🇺🇸	🇺🇸
48x96x2	🇨🇦		



Bullnose Coping

Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦	🇺🇸	🇺🇸



Edge Pavers

Size (cm)	Toronto
30x60x2.5	🇨🇦



Fillers

Size (in)	Toronto
6x31x7	🇨🇦



Pier Caps

Size (in)	Toronto	New Jersey
24x24x3	🇨🇦	🇺🇸
28x28x3	🇨🇦	🇺🇸



Wall Caps

Size (in)	Toronto	New Jersey
12x48x2	🇨🇦	
14x48x2	🇨🇦	🇺🇸



Paving

Size (cm)	Toronto	New Jersey	Savannah
30x30x2.5	🇨🇦	🇺🇸	
30x45x2.5		🇺🇸	
30x60x2.5	🇨🇦	🇺🇸	🇺🇸
45x45x2.5		🇺🇸	
45x60x2.5	🇨🇦	🇺🇸	
45x90x2.5		🇺🇸	
60x60x2.5	🇨🇦	🇺🇸	🇺🇸
60x90x2.5	🇨🇦	🇺🇸	🇺🇸
Pattern 1	🇨🇦	🇺🇸	🇺🇸
Pattern 2		🇺🇸	🇺🇸
Handcut Pattern 1		🇺🇸	🇺🇸



Rockface Treads

Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦	🇺🇸	🇺🇸
12x60x2	🇨🇦	🇺🇸	
12x72x2	🇨🇦	🇺🇸	🇺🇸
12x96x2		🇺🇸	
14x48x2	🇨🇦		
14x72x2	🇨🇦	🇺🇸	🇺🇸
14x96x2		🇺🇸	
16x48x2	🇨🇦		
16x72x2	🇨🇦		
18x72x2		🇺🇸	🇺🇸
18x96x2		🇺🇸	
24x72x2		🇺🇸	🇺🇸
24x96x2		🇺🇸	



Steps

Size (in)	Toronto	New Jersey
16x48x6	🇨🇦	
16x72x6	🇨🇦	
16x48x7	🇨🇦	🇺🇸
16x60x7	🇨🇦	
16x72x7	🇨🇦	🇺🇸
16x96x7	🇨🇦	



Straight Edge Coping

Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦		🇺🇸



Rebated Treads

Size (in)	Toronto
12x48x2	🇨🇦



Oakville Brown Wave

CLASSIFICATION
SANDSTONE

FINISH
FLAMED

ORIGIN
CHINA



Oakville Brown Wave



Paving

Size (cm)	New Jersey
30x60x3	
60x60x3	
60x90x3	
Pattern 2	



Rockface Treads

Size (in)	New Jersey
12x60x2	
12x72x2	
12x96x2	
14x72x2	
14x96x2	
18x72x2	
18x96x2	
24x72x2	
24x96x2	



Slabs

Size (in)	New Jersey
48x96x2	

Oakville Buff

CLASSIFICATION
SANDSTONE

FINISH
NATURAL CLEFT

ORIGIN
INDIA



Oakville Buff



Paving

Size (cm)	New Jersey
30x30x2.5	
30x60x2.5	
60x60x2.5	
60x90x2.5	
Pattern 2	



Rockface Treads

Size (in)	New Jersey
12x48x2	
14x48x2	
18x48x2	
24x48x2	



Bullnose Coping

Size (in)	New Jersey
12x48x2	





Oakville Hampton Limestone

CLASSIFICATION

LIMESTONE

FINISH


FLAMED AND BRUSHED

ORIGIN

CHINA



Oakville Hampton Limestone



Paving

Size (cm)	Toronto
30x30x2.5	🇨🇦
30x60x2.5	🇨🇦
45x60x2.5	🇨🇦
60x60x2.5	🇨🇦
60x90x2.5	🇨🇦
Pattern 1	🇨🇦



Rockface Treads

Size (in)	Toronto
12x48x2	🇨🇦
12x60x2	🇨🇦
12x72x2	🇨🇦
14x48x2	🇨🇦
14x72x2	🇨🇦
16x48x2	🇨🇦
16x72x2	🇨🇦



Steps

Size (in)	Toronto
16x48x7	🇨🇦
16x60x7	🇨🇦
16x72x7	🇨🇦
16x96x7	🇨🇦



BBQ Slabs ❤️

Size (in)	Toronto
36x96x2	🇨🇦
48x96x2	🇨🇦



Bullnose Coping

Size (in)	Toronto
12x48x2	🇨🇦



Edge Pavers ❤️

Size (cm)	Toronto
30x60x2.5	🇨🇦



Fillers ❤️

Size (in)	Toronto
6x31x7	🇨🇦



Pier Caps ❤️

Size (in)	Toronto
24x24x3	🇨🇦
28x28x3	🇨🇦



Wall Caps ❤️

Size (in)	Toronto
14x48x2	🇨🇦



Straight Edge Coping

Size (in)	Toronto
12x48x2	🇨🇦



Rebated Treads

Size (in)	Toronto
12x48x2	🇨🇦

Oakville Highland Black



CLASSIFICATION

GRANITE

FINISH

FLAMED

ORIGIN

CHINA



Paving

Size (cm)	Toronto
30x60x2.5	
45x60x2.5	
60x60x2.5	
60x90x2.5	



BBQ Slabs

Size (in)	Toronto
36x96x2	



Bullnose Coping

Size (in)	Toronto
12x48x2	



Rockface Treads

Size (in)	Toronto
12x48x2	
12x72x2	
14x48x2	
16x48x2	
16x72x2	



Straight Edge Coping

Size (in)	Toronto
12x48x2	



Pier Caps

Size (in)	Toronto
24x24x3	
28x28x3	



Steps

Size (in)	Toronto
16x48x7	
16x60x7	
16x72x7	
16x96x7	



Fillers

Size (in)	Toronto
6x31x7	



Wall Caps

Size (in)	Toronto
14x48x2	

Oakville Imperial Black

CLASSIFICATION

QUARTZITIC SANDSTONE

FINISH

NATURAL CLEFT

ORIGIN

INDIA



Oakville Imperial Black



Paving

Size (cm)	Toronto
30x60x2.5	🇨🇦
45x60x2.5	🇨🇦
60x60x2.5	🇨🇦
60x90x2.5	🇨🇦
Pattern 1	🇨🇦



Rockface Treads

Size (in)	Toronto
12x48x2	🇨🇦
16x48x2	🇨🇦



Steps

Size (in)	Toronto
16x48x7	🇨🇦
16x60x7	🇨🇦
16x72x7	🇨🇦



Edge Pavers

Size (cm)	Toronto
30x60x2.5	🇨🇦



Wall Caps

Size (in)	Toronto
14x48x2	🇨🇦



Oakville Ivory Coast

CLASSIFICATION

QUARTZITIC SANDSTONE

FINISH

SANDBLASTED

ORIGIN

INDIA



Oakville Ivory Coast



BBQ Slabs

Size (in)	Toronto	Savannah
36x96x2		



Bullnose Coping

Size (in)	Toronto	Savannah
12x48x2		



Fillers

Size (in)	Toronto
6x31x7	



Straight Edge Coping

Size (in)	Toronto
12x48x2	



Paving

Size (cm)	Toronto
30x30x2.5	
30x60x2.5	
45x60x2.5	
60x60x2.5	
60x90x2.5	
Pattern 1	



Rockface Treads

Size (in)	Toronto	Savannah
12x48x2		
12x72x2		
14x72x2		
16x48x2		
16x72x2		



Steps

Size (in)	Toronto
16x48x7	
16x60x7	
16x72x7	



Pier Caps

Size (in)	Toronto
24x24x3	
28x28x3	



Wall Caps

Size (in)	Toronto
14x48x2	



Oakville Rainbow

CLASSIFICATION
SANDSTONE

FINISH
HONED

ORIGIN
INDIA



Oakville Rainbow



Paving

Size (cm)	New Jersey
Pattern 2	



Rockface Treads

Size (in)	New Jersey
12x48x2	
12x60x2	
12x72x2	
12x96x2	
14x72x2	
18x72x2	
24x72x2	



Slabs

Size (in)	New Jersey
36x72x2	



Bullnose Coping

Size (in)	New Jersey
12x48x2	

Oakville Rustic Plains

CLASSIFICATION
SANDSTONE

FINISH
NATURAL CLEFT

ORIGIN
INDIA



Oakville Rustic Plains



Paving

Size (cm)	New Jersey	Savannah
30x30x2.5		
30x60x2.5		
60x60x2.5		
60x90x2.5		
Pattern 2		



Rockface Treads

Size (in)	New Jersey	Savannah
12x48x2		
14x48x2		
18x48x2		
24x48x2		



Bullnose Coping

Size (in)	New Jersey
12x48x2	

Oakville Sagebrush

CLASSIFICATION

QUARTZITIC SANDSTONE

FINISH

NATURAL CLEFT

ORIGIN

INDIA



Oakville Sagebrush



Steps

Size (in)	Toronto
16x36x7	🇨🇦
16x48x7	🇨🇦
16x60x7	🇨🇦
16x72x7	🇨🇦
16x96x7	🇨🇦



Bullnose Coping

Size (in)	Toronto	Savannah
12x48x2	🇨🇦	🇺🇸



Edge Pavers

Size (cm)	Toronto
30x60x2.5	🇨🇦



Fillers

Size (in)	Toronto
6x31x7	🇨🇦



Paving

Size (cm)	Toronto
30x30x2.5	🇨🇦
30x60x2.5	🇨🇦
45x60x2.5	🇨🇦
60x60x2.5	🇨🇦
60x90x2.5	🇨🇦
Pattern 1	🇨🇦



Rockface Treads

Size (in)	Toronto
12x48x2	🇨🇦
12x60x2	🇨🇦
12x72x2	🇨🇦
14x48x2	🇨🇦
14x72x2	🇨🇦
16x48x2	🇨🇦
16x72x2	🇨🇦



Pier Caps

Size (in)	Toronto
24x24x3	🇨🇦
28x28x3	🇨🇦



Wall Caps

Size (in)	Toronto
14x48x2	🇨🇦



Oakville Siberian Grey

CLASSIFICATION

LIMESTONE

FINISH

SANDBLASTED

ORIGIN

CHINA



Oakville Siberian Grey



Bullnose Coping

Size (in)	Toronto
12x48x2	🇨🇦



Straight Edge Coping

Size (in)	Toronto
12x48x2	🇨🇦
14x48x2	🇨🇦
16x48x2	🇨🇦



Pier Caps

Size (in)	Toronto
24x24x3	🇨🇦
28x28x3	🇨🇦



Wall Caps

Size (in)	Toronto
14x48x2	🇨🇦



Paving

Size (cm)	Toronto
30x30x3	🇨🇦
30x60x3	🇨🇦
45x60x3	🇨🇦
60x60x3	🇨🇦
60x90x3	🇨🇦
Pattern 1	🇨🇦



Rockface Treads

Size (in)	Toronto
12x48x2	🇨🇦
14x48x2	🇨🇦
16x48x2	🇨🇦



Steps

Size (in)	Toronto
16x48x7	🇨🇦
16x60x7	🇨🇦



Fillers

Size (in)	Toronto
6x31x7	🇨🇦



Oakville Silver Pearl



CLASSIFICATION

LIMESTONE

FINISH

SANDBLASTED & BRUSHED

ORIGIN

MOROCCO



Paving

Size (cm)	Savannah
30x60x2.5	
60x60x2.5	
60x90x2.5	
Pattern 1	



Bullnose Coping

Size (in)	Savannah
12x48x2	
14x48x2	



Straight Edge Coping

Size (in)	Savannah
12x48x2	
14x48x2	



Slabs

Size (in)	Savannah
60x115x2	



Oakville Slate Grey

CLASSIFICATION

QUARTZITIC SANDSTONE

FINISH

NATURAL CLEFT

ORIGIN

INDIA



Oakville Slate Grey



Bullnose Coping

Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦	🇺🇸	🇺🇸



BBQ Slabs

Size (in)	Toronto	New Jersey	Savannah
36x96x2	🇨🇦	🇺🇸	🇺🇸
48x96x2	🇨🇦		



Edge Pavers

Size (cm)	Toronto
30x60x2.5	🇨🇦



Fillers

Size (in)	Toronto
6x31x7	🇨🇦



Pier Caps

Size (in)	Toronto
24x24x3	🇨🇦
28x28x3	🇨🇦



Wall Caps

Size (in)	Toronto	New Jersey
12x48x2	🇨🇦	
14x48x2	🇨🇦	🇺🇸



Paving

Size (cm)	Toronto	New Jersey	Savannah
30x30x2.5	🇨🇦	🇺🇸	
30x60x2.5	🇨🇦	🇺🇸	🇺🇸
45x60x2.5	🇨🇦	🇺🇸	
45x90x2.5		🇺🇸	
60x60x2.5	🇨🇦	🇺🇸	🇺🇸
60x90x2.5	🇨🇦	🇺🇸	🇺🇸
Pattern 1	🇨🇦		🇺🇸
Pattern 2		🇺🇸	



Rockface Treads

Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦		🇺🇸
12x60x2	🇨🇦		
12x72x2	🇨🇦	🇺🇸	
12x96x2		🇺🇸	
14x48x2	🇨🇦		
14x72x2	🇨🇦	🇺🇸	
14x96x2	🇨🇦		
16x48x2	🇨🇦		
16x72x2	🇨🇦		
18x72x2		🇺🇸	
24x72x2		🇺🇸	



Steps

Size (in)	Toronto	New Jersey
16x48x6	🇨🇦	
16x72x6	🇨🇦	
16x48x7	🇨🇦	🇺🇸
16x60x7	🇨🇦	
16x72x7	🇨🇦	🇺🇸
16x96x7	🇨🇦	



Straight Edge Coping

Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦	🇺🇸	🇺🇸



Rebated Treads

Size (in)	Toronto
12x48x2	🇨🇦



Hollow Steps

Size (in)	Toronto
16x48x7	🇨🇦



Oakville Thermal Bluestone

CLASSIFICATION

SANDSTONE

FINISH

FLAMED

ORIGIN

ITALY



Oakville Thermal Bluestone



Paving

Size (in)	New Jersey	Savannah
11.5x11.5x1		
11.5x23.5x1		
17.5x17.5x1		
17.5x23.5x1		
17.5x35.5x1		
23.5x23.5x1		
23.5x35.5x1		
Pattern 2		



Straight Edge Coping

Size (in)	New Jersey	Savannah
12x48x2		
12x60x2		
12x72x2		
12x96x2		
14x72x2		
14x96x2		
18x72x2		
18x96x2		
24x72x2		
24x96x2		



Bullnose Coping

Size (in)	New Jersey	Savannah
14x48x2		



Slabs

Size (in)	New Jersey	Savannah
60x115x2 (Avg)		
60x115x2 (Avg) Polished		

APPLIC ATIONS

HANDCUT PAVING

Hand Chiseled on Four Sides



Size	New Jersey	Savannah
Pattern 1		



EDGE PAVERS

Rockfaced on One Long Side



Size (cm)	Toronto
30x60x2.5	



ROCKFACE TREADS

Rockfaced on One Long Side



Size (in)	Toronto	New Jersey	Savannah
12x48x2	🇨🇦	🇺🇸	🇺🇸
12x60x2	🇨🇦	🇺🇸	
12x72x2	🇨🇦	🇺🇸	🇺🇸
12x96x2		🇺🇸	
14x48x2	🇨🇦	🇺🇸	
14x72x2	🇨🇦	🇺🇸	🇺🇸
14x96x2	🇨🇦	🇺🇸	
16x48x2	🇨🇦		
16x72x2	🇨🇦		
18x48x2		🇺🇸	
18x72x2		🇺🇸	🇺🇸
18x96x2		🇺🇸	
24x48x2		🇺🇸	
24x72x2		🇺🇸	🇺🇸
24x96x2		🇺🇸	



REBATED TREADS

Rockfaced on One Long Side



Size (in)	Toronto
12x48x2	🇨🇦



BULLNOSE COPING

Finished Bullnose on One Long Side



Size (in)	Toronto	New Jersey	Savannah
12x48x2			
14x48x2			



STRAIGHT EDGE COPING

Finished on One Long Side



Size (in)	Toronto	New Jersey	Savannah
12x48x2			
14x48x2			
16x48x2			



STEPS

Rockfaced on One Long and Two Short Sides



Size (in)	Toronto	New Jersey
16x48x6	🇨🇦	
16x72x6	🇨🇦	
16x96x6	🇨🇦	
16x36x7	🇨🇦	
16x48x7	🇨🇦	🇺🇸
16x60x7	🇨🇦	
16x72x7	🇨🇦	🇺🇸
16x96x7	🇨🇦	



FILLERS

Rockfaced on One or Two Long Sides



Size (in)	Toronto
6x31x7	🇨🇦



PIER CAPS

Rockfaced on All Four Sides



Size (in)	Toronto	New Jersey
24x24x3		
28x28x3		



WALL CAPS

Rockfaced on All Four Sides



Size (in)	Toronto	New Jersey
12x48x2		
14x48x2		



BBQ SLABS

Rockfaced on All Four Sides



Size (in)	Toronto	New Jersey	Savannah
36x72x2			
36x96x2			
48x96x2			



SLABS

Sawn or Split on Four Sides



Size (in)	New Jersey	Savannah
36x72x2		
48x96x2		
60x115x2 (Avg)		
60x115x2 (Avg) Polished		




INSTAL LATION


STEPS AND FILLERS GENERIC INSTALLATION

MATERIAL REQUIREMENTS

STEPS



FILLERS





STEP 1

Place one Step and two full Fillers as shown

STEP 2

Place second Step with an approximately $\frac{3}{4}$ " overlap




STEP 3


Cut one Filler into two equal pieces and place it behind the second Step

STEP 4

Place the third Step with a $\frac{3}{4}$ " overlap




DRY LAY INSTALLATION



- Joint spacing between stone paving will vary based on sizes installed.
- Use of edge restraint is highly recommended.

WET LAY INSTALLATION



- Joint spacing between stone paving will vary based on sizes installed.
- Use of bonding agent in mortar mix is highly recommended.
- Back butter of paving before installation is highly recommended.

CONSIDERATIONS WHEN

USING NATURAL STONE

COLOR VARIATION

Stone is a product of nature, and should be appreciated for all the natural characteristics it beholds. Just as no snowflake is alike, no natural stone is alike (even if it is from the same quarry). It is because of this uniqueness that stone is often chosen, but also, sometimes misunderstood. Often the natural color range and texture variation is the source of this misunderstanding. To avoid this, one should first accept that natural stone has natural variation in color and texture. Sawn and finished stone (honed, flamed, sandblasted, etc.) will have minimal variation in texture. Secondly one should decide on the stone of their choice after seeing several full-size pieces laid out.

MAINTENANCE

Natural stone will last a lifetime with little maintenance. However, if you are the type that wants to keep your natural stone installation looking as close to as it did when it was first installed, some regular maintenance will be required. At minimum, regularly sweep to ensure loose dirt or fallen leaves do not sit on the stone for prolonged periods of time. Do not drive or allow heavy equipment to be driven on areas where the base would not support such weight. Do not allow oils or acids (acidic liquids) to come in contact with the stone. If using a gas or charcoal grill, ensure you cover the area with a grill mat to protect your natural stone patio or deck.

CLEANING

As referenced above, regular maintenance, including cleaning, should be performed from time to time on your natural stone installation. However, at no time should any cleaner containing muriatic or hydrochloric acid be used on any type of natural stone (including Oakville Stone). The use of these harsh acids is not only bad for the stone and dangerous to oneself, but also very toxic to the environment including plants and animals. If organic stains from soils, moss, mold, or leaves occur, it is best to first try cleaning with a mild soap solution, a stiff deck brush, and water. If required, a pressure washer is also acceptable (ensure that the nozzle is not set to the most concentrated stream to avoid the risk of damaging the stone). If the stains persist, there are many natural stone cleaning products on the market that have been proven to work well and not harm the stone (please consult with your local dealer for products they recommend on natural stone).

POLYMERIC HAZE

Polymeric haze is a result of polymeric sand not being properly removed from the surface of the paving when installed. The hazing will naturally disappear over time with rainfall and wear and there are several cleaners to remove the haze. Please consult your installer for the appropriate cleaner and what to expect if choosing to chemically clean this residue. Since this is entirely an installation issue, Oakville Stone does not take any responsibility for the occurrence or removal of polymeric haze.

STONE TESTING

ASTM is the abbreviation for the American Society for Testing and Materials. ASTM is an international standards organization that develops and publishes technical standards for a wide range of materials and products. Before proceeding with any new stone, it is our practice to first have it tested under the ASTM laboratory testing standards. The four most common categories under ASTM testing in the stone industry are: compressive strength, flexural strength, absorption, and density. Upon request we can provide the results from these tests for each and every one of our stone products.

SEALING

The sealing of natural stone is a hotly debated subject in our industry. Traditionalists contend that natural stone should never be sealed and one should enjoy it as it weathers and ages over time. Proponents of sealing report that it helps reduce maintenance and potential stains and/or discoloration. Our company takes a balanced approach. In our opinion sealing or not sealing is entirely a personal choice. Choosing either option will not adversely affect the life of Oakville Stone products. However, one should be aware of the possible outcomes of each choice. When choosing not to seal your natural stone, one should expect to either accept some slight fading over time and potential organic staining if not regularly maintained (swept or sprayed with water). If one chooses to seal, it is important to first confirm whether the sealer being used is suitable for that particular stone and installation type, and to read and follow the manufacturer's instructions carefully to ensure it is applied correctly. Before proceeding with any type of natural stone sealer or cleaner, be sure to first test it in an inconspicuous area.

Two important things to ensure if choosing a sealer are:

- 1- Is it suitable for that stone type? (usually clearly marked on the sealer label)
- 2- Is it breathable?

Once these points are satisfied, there are more choices such as solvent, water based, natural look, color enhance.

EFFLORESCENCE

Efflorescence is a naturally occurring process which sometimes appears in the form of a white powdery film on the surface of stone, brick, or concrete pavers. In stone products, it seldomly originates from the stone, but instead from either the brick or concrete in the stone's proximity or the cement with which the stone was laid. Efflorescence, in no way, hinders the quality and function of the stone. Before employing the use of a chemical efflorescence cleaner, first try pressure washing or scrubbing the affected area. The other method is to do absolutely nothing as this phenomenon will typically lessen or dissipate over time when exposed to the elements (rain, snow, and wear).

SNOW REMOVAL

Use of a plastic shovel is the most appropriate way of removing snow from natural stone. Use of a metal shovel can scrape and damage the surface of the stone or leave behind small remnants of steel that could turn rusty. Similarly, use of snow blowers that have a plastic shoe instead of a metal shoe is recommended. The use of salt is not recommended as it has various disadvantages. Firstly, salt can cause discoloration as it acts as a bleach. This can result in colored spots throughout the surface of the stone. Secondly, salt when mixed with melted snow and ice creates a brine that may permeate the stone and the joints and slowly corrode these materials. The safest method to ensure safety without adversely affecting the stone is to first remove as much snow as possible with a plastic shovel, then use either untreated sand or kitty litter. This will provide grip during the winter months and in the spring, a nice soil amendment when swept into the garden.

LAYING TECHNIQUES

To ensure a beautiful installation, we recommend when laying our stone paving to be sure to pick pieces from at least two or three different crates. This will ensure a good mix of color and texture variation and a spectacular end result.

STOCKING LOCATION GUIDE



Paving p74



Pattern Crates p75



Handcut Paving p76



Edge Pavers p77



Rockface Treads p78



Rebated Treads p79



Bullnose Coping p80



Straight Edge Coping p81



Steps p82



Fillers p83



Pier Caps p84



Wall Caps p85



BBQ Slabs p86



Slabs p87

Product Name	Paving p74	Pattern Crates p75	Handcut Paving p76	Edge Pavers p77	Rockface Treads p78	Rebated Treads p79	Bullnose Coping p80	Straight Edge Coping p81	Steps p82	Fillers p83	Pier Caps p84	Wall Caps p85	BBQ Slabs p86	Slabs p87
Oakville Antique Limestone	Canada	Canada		Canada	Canada	Canada	Canada	Canada	Canada	Canada	Canada	Canada	Canada	
Oakville Autumn Brown	Canada, NJ	Canada, NJ		Canada	Canada, NJ		Canada, NJ		Canada, NJ	Canada	Canada, NJ	Canada, NJ	Canada, NJ	NJ
Oakville Black Limestone	Canada, NJ	Canada, NJ		Canada	Canada, NJ	Canada	Canada, NJ		Canada	Canada	Canada, NJ	Canada	Canada	
Oakville Blue Ice	Canada, NJ, GA	Canada, NJ, GA	NJ, GA	Canada	Canada, NJ, GA	Canada	Canada, NJ, GA	Canada, NJ, GA	Canada, NJ	Canada	Canada, NJ	Canada, NJ	Canada, NJ, GA	
Oakville Brown Wave	NJ	NJ			NJ									NJ
Oakville Buff	NJ	NJ			NJ		NJ							
Oakville Hampton Limestone	Canada	Canada		Canada	Canada	Canada	Canada	Canada	Canada	Canada	Canada	Canada	Canada	
Oakville Highland Black	Canada				Canada		Canada	Canada	Canada	Canada		Canada	Canada	

Canada Toronto, Canada

NJ New Jersey

GA Savannah, Georgia

STOCKING LOCATION GUIDE



Paving p74



Pattern Crates p75



Handcut Paving p76



Edge Pavers p77



Rockface Treads p78



Rebated Treads p78



Bullnose Coping p80



Straight Edge Coping p81



Steps p82



Fillers p83



Pier Caps p84



Wall Caps p85



BBQ Slabs p86



Slabs p87

Oakville Imperial Black						
Oakville Ivory Cost						
Oakville Rainbow						
Oakville Rustic Plains						
Oakville Sagebrush						
Oakville Siberian Grey						
Oakville Silver Pearl						
Oakville Slate Grey						
Oakville Thermal Bluestone						

Toronto, Canada New Jersey Savannah, Georgia



Oakville Slate Grey



OAKVILLE STONE

Toronto | New Jersey | Savannah

960 Kamato Road,
Mississauga, Ontario, L4W 2R6, Canada

T: 905-270-1110 F: 905-270-1160

www.oakvillestone.com